

# Harrier USB SDK

## Software Development Kit



- SDK for the development of USB Video Class (UVC) applications for the Harrier and BlueBird product range
- Enables rapid system development and integration
- Working examples of Windows 10 USB/UVC applications
- .NET API support enables SDK code to be called from C++/CLI, C# and Visual Basic

## FEATURES

---

- Live capture and low-latency display of UVC video streams up to 1080p60.
- Simultaneous capture, display and recording of video data.
- Camera resolution/mode control over USB/UVC.
- Supports Active Silicon UVC compatible products e.g. BlueBird SDI Adapter, Harrier USB/HDMI Camera Interface Board.
- Hardware-accelerated video encoding (H.264) using NVIDIA or Intel hardware.
- Still image capture (JPEG/TIFF).
- Text and image overlay.
- SDK based on Microsoft Media Foundation.
- Includes UVC application and virtual COM port driver.
- Source code available on request.



## OVERVIEW

---

The **Harrier USB SDK** has been developed for use with USB Video Class (UVC) compatible [Harrier and BlueBird USB products](#). It provides a library of functions, classes and example applications that acquire UVC video/images from Active Silicon UVC compatible products, e.g. the [BlueBird SDI Adapter](#) and the [Harrier USB/HDMI Camera Interface Board](#). Active Silicon UVC compatible devices stream video from their input ports (e.g. 3GSDI/HD-VLC/LVDS) to their USB 3 output port. The **Harrier USB SDK** example application acquires video/images (over USB) from Active Silicon UVC compatible products and can also be used to change the camera video output mode, and other UVC properties, via the USB connection.

## Harrier USB SDK

With Active Silicon UVC compatible devices, the application software can use several standard APIs, including Microsoft Media Foundation or DirectShow. The **Harrier USB SDK** is based on Microsoft Media Foundation. It is a set of modules, classes and example source code designed to enable quick and easy development of UVC based applications that capture video/images from Active Silicon UVC compatible products. Microsoft Media Foundation enables the development of applications for using digital media on Windows 7 and later versions of the Windows OS. The SDK provides objects that acquire, encode and display video. The classes in the SDK can be used as-is in an application, or as an example to develop a custom application based on Media Foundation.

The SDK example of video encoding uses a Media Foundation Transform (MFT) which must be installed on the host machine. The default H.264 MFT available under Windows runs entirely in software and does not use any hardware acceleration. Hardware-accelerated MFTs are available from Intel or NVIDIA; both require the appropriate acceleration hardware to be available (e.g. an Intel CPU with QuickSync support, or an NVIDIA GPU with built-in NVENC support).


## C#, VB or C++/CLI support

The **Harrier USB SDK** contains a .NET wrapper that enables the SDK API to be called from .NET based languages (C#, Visual Basic [VB], C++/CLI). This enables developers to write code in C#, VB or C++/CLI to implement image acquisition, display and video recording functionality using the **Harrier USB SDK**. The HarrierView example video application has been written in C#.

## Harrier Example Applications

The example applications included with the **Harrier USB SDK** show how the Active Silicon and Media foundation functions/classes can be used to create working applications. Full source code for the applications is available from Active Silicon on request. There are two examples:

1. HarrierView: implements UVC video, H.264 encoding, video recording and camera control using UVC properties.
2. HarrierEx: implements UVC video, H.264 encoding, video recording, still image capture (JPEG/TIFF) and, Text and image overlay.



**Figure 1. Harrier USB SDK – HarrierView Example Application (showing 1920 x 1080 @ 60FPS test pattern from camera)**





## CONTACT DETAILS

---

### *Headquarters:*

Active Silicon Ltd  
Pinewood Mews, Bond Close, Iver,  
Bucks, SL0 0NA, UK.

Tel: +44 (0)1753 650600  
Fax: +44 (0)1753 651661  
Email: [info@activesilicon.com](mailto:info@activesilicon.com)  
Website: [www.activesilicon.com](http://www.activesilicon.com)

### *North America:*

Active Silicon, Inc.  
479 Jumpers Hole Road, Suite 301,  
Severna Park, MD 21146, USA.

Tel: +1 410-696-7642  
Fax: +1 410-696-7643  
Email: [info@activesilicon.com](mailto:info@activesilicon.com)  
Website: [www.activesilicon.com](http://www.activesilicon.com)